


FPT NEF N45 - 168 hp Open Power Pack + EPA T4F



FPT N45 - 168 hp DIESEL - Open Power Pack

- Each compact power unit is fully assembled and test run at Stauffer Diesel / Stadco.
- Power units are pre-engineered as a compact "Turn Key" unit and emissions compliance is pre-validated.
- One FPT 4-cylinder, water-cooled model:

Stauffer Diesel Inc / Stadco

- 168 hp Turbo Charged and CAC. No EGR.
- FPT N45 168 hp uses "DOC" and "SCR" a highly efficient and proven exhaust catalyst. No regeneration required.

- Minimal application installation approval is required.
- All accessories offered with this build are mounted and certified.
- EGR-Free combustion assures optimal transient responsive engine.
- Balanced for a smooth, quiet operation.
- Murphy TEC-10[®] control panels are standard on all compact power units. TEC-10[®] is flexible and rugged, withstands harsh weather environments, and offers easy to read displays even in sunlight.




TRAIN TECHNOLOGIES Industrial Engine Distributor since 1956

FPT N45 Diesel - 168hp Industrial

| | 168 hp |
|----------------|--------------------------------------------------------------------------------------------------------------|
| | 4 |
| mm in | 104 x 132 4.1 x 5.2 |
| L Cu in | 4.5 275 |
| Min –1 Rpm | 2200 |
| kW hp | 125 168 |
| Nm Lb/ft | 712 525 |
| Min –1 rpm | 1500 |
| g/kWh Lb/hph | 203 0.335 |
| Volume | 7% of fuel |
| Kg. Lbs. | 426 937 |
| | DOC + SCR (EGR Free) |
| L Gals. | 43 11.3 |
| | L Cu in Min –1 Rpm kW hp Nm Lb/ft Min –1 rpm g/kWh Lb/hph Volume Kg. Lbs. |


*Power data without deduction of fan power

**Best point consumption refers to diesel with a density of 0.835 kg/dm3 at 15°C.



34 Stauffer Lane Ephrata, PA 17522 ♦ sales@staufferdiesel.com ♦ 717-738-2500 ♦ www.staufferdiesel.com S204.23 Rev 00

FPT N45 Diesel - 168hp Enclosed Power Pack





5.75[146.05]-

DEF TANK ENCLOSURE

-26.50[673.10]-

-52.39 1330.62

l

16.37 [415.72]

-57.82[1468.61]

-62.63[1590.71]

50.39 1279.83

34 Stauffer Lane Ephrata, PA 17522 ♦ sales@staufferdiesel.com ♦ 717-738-2500 ♦ www.staufferdiesel.com S204.23 Rev 00